



1000 Mg

SunPower Reserve

All-in-one home energy management system with 5kW Hybrid-Inverter and 10kWh battery, expandable up to 60kWh

Access clean energy, anytime.

Storing solar energy in a sustainable, cobaltfree battery chemistry ensures your customers have access to clean energy whenever they need it most.

No grid, no problem.

Critical energy needs can be protected from grid outages through integrated blackout protection and stand-down support functions.



It's not another monitoring app.

SunPower One is an ecosystem designed to help homeowners easily understand their impact on the planet and their wallets.

The system identifies how much energy a home generates and uses in real-time to expose devious power-hungry appliances – yes, any electric device, not just their SunPower ones.

The app then delivers simple but effective insights homeowners can act on based on the way they personally use energy.



PRELIMINARY RELEASE

SunPower Reserve Home Energy Storage System

All-in-one system with 5kW Hybrid-Inverter and 10kWh battery, expandable up to 60kWh

Access to clean energy, anytime

Storing solar energy in a sustainable, cobalt-free battery chemistry ensures you will have access to clean energy whenever you need it most.

Easier grid independence

Critical energy needs can be protected from grid outages through SunPower Reserve's integrated blackout protection and stand-down support functions.

The power's in your hands

SunPower Reserve is accompanied by the SunPower One app that makes home energy management easy to understand. SunPower One delivers simple but effective insights you can act on based on the way you personally use energy.¹

Saving your pennies and the planet never felt easier.



SunPower OneDesigned for Android and iOS



PRELIMINARY RELEASE

SunPower Reserve 10 kWh | Single Phase

System Technical Specifications		
Initial Capacity	10.1 KWh	
Capacity Range	10.1 – 60.5 kWh	
	Parallel connection	
Dimensions (WxHxD)	610 x 1226 x 212 mm	
Roundtrip Efficiency	90 / 95%	
(AC-DC-AC) / (DC-AC)		
UPS / Power per Circuit	YES / 1 x 5 kW	
UPS Peak Output Power (for 30s)	1 x 7.5 kW	
UPS switch time	<10ms	
Cooling	Natural	
Mounting	Floor mount with	
	wall bracing	


Inverter Technical Specifications		
Model	RESERVE-INV-1-L1-P5-INT	
Output (AC):		
Interconnection	Single Phase	
Rated Output Power	5.0 kW	
Nominal Voltage	230 VAC	
Nominal Freq.	50/60 Hz	
Rated Output Current	21.7A	
Input (DC - PV) :		
Max PV Input Power	10 kW	
Max PV Isc Current	18.75 A / 18.75 A	
Max input Voltage	580V	
MPPT / Voltage range	2 / 100 ~550V	
Input (DC – BAT) :		
Max Charging /	5.0 kW	
Discharging Power	5.0 KW	
Overvoltage Category	DC II / AC III	
Weight	20 kg	

Battery Technical Specifications		
Model	RESERVE-BAT-1-DC-10.1P-INT	
Capacity / Usable Cap.	10.1 / 9.6 kWh	
Battery chemistry	LFP (LiFePO4)	
Nominal DC voltage	96V	
Max DC voltage	109	
DoD	95%	
Weight	90 kg	

¹Personalised insights may require additional hardware. SunPower One and services are subject to separate terms and conditions, including Maxeon's privacy policy.

Tested Operating Conditions		
Operating Temp.	Charge: 0 to 50°C	
	Discharge: -10 to 50°C	
Recommended Temp.	10 to 30°C	
Relative Humidity	0 – 90%	
	(not condensing)	
Max. Altitude	2000m	
Noise level @1m	<30dB	
Enclosure protection	Outdoor, IP65	

Warranties, App, Certifications and Compliance		
Warranty	 10-year product warranty on inverter and battery 10-year battery performance warranty (8000 cycles)² 	
SunPower One	10-year access (inc. monitoring)	
Certifications & Compliance	IEC 62109-1, IEC 62109-2, IEC 62040-1:2017, IEC 62619:2017, IEC 63056, IEC 61000, UN 38.3	
Grid connection	AS 4777.2, VDE 4105, VDE 0126, CEI 0-21, EN 50549	
Available listing	TUV, SGS	
EHS Compliance	RoHS Directive 2011/65/EU, WEEE Directive 2012/19/EU, Battery directive 2006/66/EC REACH	



² Limited to operation within stated operating temperature conditions. Battery performance may be limited when operating temperature is lower or higher than stated conditions.